


# Airmat Select Fancoil Refill

---

## Product Range



---

## Applications



---

## Features



---

## Filter Class

G

Coarse



## KEY FACTS

- Replacement media for Airmat Select Fancoil
- Available in a wide variety of sizes
- Thermally-bonded, synthetic filter medium

## DESIGN

Replacement filter media sleeve made from thermally-bonded, polyester fiber.

## APPLICATIONS

Installed into floor, wall and ceiling-mounted fan coil induction units to provide air cleanliness and protection for system parts.

# Airmat Select Fancoil Refill

## PERFORMANCE DATA

Filter Class		Dimensions	Pressure Drop
<b>ISO 16890</b>	<b>EN 779</b>	<b>mm</b>	<b>Pa</b>
Coarse 60%	G2	Wide variety of sizes	20

## SPECIFICATION

<b>Recommended air velocity</b>	1.5 m/s ( $\pm$ 0.5 m/s)	<b>Rec. final pressure for efficient energy use acc. to EN 13053</b>	Lowest value of initial pressure drop + 50 Pa, or initial pressure drop x 3
<b>Heat resistance</b>	Max. 100 °C	<b>Moisture resistance</b>	100 % rel. humidity
<b>Regenerable</b>	No	<b>Incinerable</b>	Yes